

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
APPLICATION NO.	FILING DATE		0101.072	9437
09/943,644	08/30/2001	Dennis W. Smith	CXU-363	9431
7:	590 10/01/2002			
John E. Vick, Jr.			EXAMINER	
			ALCERDANDIDE MARTINI	
Dority & Manr	rity & Manning ANGEB orneys at Law, P.A.	ANGEBRANNI	RANNDT, MARTIN J	
P.O. Box 1449	P.O. Box 1449 ART UNIT PAPER N		PAPER NUMBER	
Greenville, SC	29602		1756	6
			DATE MAILED: 10/01/2003	2

Please find below and/or attached an Office communication concerning this application or proceeding.

		<b>~</b> 8₩
	Application N .	A cant(s)
	09/943,644	SMITH ET AL.
Office Action Summans	09/943,644 Examiner	Art Unit
Office Action Summary		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	Martin J Angebrannd	eet with the correspondence address
The MAILING DATE of this c mmuleriod for Reply	nicauon appears on the o version	
A SHORTENED STATUTORY PERIOD IT THE MAILING DATE OF THIS COMMUN  Extensions of time may be available under the provision after SIX (6) MONTHS from the mailing date of this com If the period for reply specified above is less than thirty If NO period for reply is specified above, the maximum Failure to reply within the set or extended period for repl Any reply received by the Office later than three months earmed patent term adjustment. See 37 CFR 1.704(b).	INCATION.  Is of 37 CFR 1.136(a). In no event, however, inmunication.  (30) days, a reply within the statutory minimun statutory period will apply and will expire SIX (all y will, by statute, cause the application to become after the mailing date of this communication,	may a reply be timely filed  n of thirty (30) days will be considered timely. 6) MONTHS from the mailing date of this communication.  some ABANDONED (35 U.S.C. § 133).  even if timely filed, may reduce any
	2b)⊠ This action is non-final	
2a) This action is <b>FINAL</b> .	and allowance except for form	al matters, prosecution as to the merits is
<ol> <li>Since this application is in condition closed in accordance with the property of Claims</li> </ol>	actice under <i>Ex parte Quayle</i> , 19	35 C.D. 11, 453 O.G. 213.
4)⊠ Claim(s) <u>1-32</u> is/are pending in th	e application.	
4a) Of the above claim(s) is	s/are withdrawn from consideration	on.
5) Claim(s) is/are allowed.		
6) Claim(s) 1-32 is/are rejected.		
7) Claim(s) is/are objected to 8) Claim(s) are subject to res	· triction and/or election requirem	ent.
Application Papers		
9)☐ The specification is objected to by	the Examiner.	t to by the Examiner.
10) The drawing(s) filed on is/a	ire: a) accepted or b) objected	in abovance See 37 CFR 1.85(a).
Applicant may not request that any	objection to the drawing(s) be field	in abeyance. See 37 CFR 1.85(a).
Applicant may not request that any not request that any 11) The proposed drawing correction	filed on is. a) approved	
If approved, corrected drawings an	e required in reply to this Office action	
12)☐ The oath or declaration is objecte	d to by the Examiner.	
Priority under 35 U.S.C. §§ 119 and 120		u.c.c. & 119(a)-(d) or (f)
13) Acknowledgment is made of a c	laim for foreign priority under 35	0.3.0. 9 110(0) (0) 5. (1)
a) ☐ All b) ☐ Some * c) ☐ None	of:	
1. Certified copies of the price	ority documents have been recei	Vea.
2. Certified copies of the price	ority documents have been recei	ved in Application No
application from the in	action for a list of the certified co	ploo not reserve
14) Acknowledgment is made of a cla	aim for domestic priority under 3	5 U.S.C. § 119(e) (to a provisional application
a) The translation of the foreig	un language provisional applicati	on has been received.
Attachment(s)		
1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Rev.  3) Information Disclosure Statement(s) (PTO-1)	4) ☐ riew (PTO-948) 5) ☐ 449) Paper No(s) <u>4 &amp; 5</u> . 6) ☐	Company Report Application (PTO-152)
U.S. Patent and Trademark Office	200 4.41-20	Part of Paper No. 6

Art Unit: 1756

Ŧ.

1. The applicant states that the instant application is related to application 09/604,748, filed 27, June 2000. The declaration should reflect if this is a continuation,, continuation in part or divisional if the applicant seeks to gain the benefit of priority to the earlier filed application.

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Please indicate in the body of the claims, --where Ar does not equal Ar' - - rather than the "for Ar not equaling Ar' " recited in claim 1.

4. Claims 27 and 31 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

The independent claims recite a "copolymer", while these recite "homopolymers". copolymers do not embrace mixtures of homopolymers. In the case of mixtures of homopolymers, the polymers and thier respective cured monomeric material are separate, while in copolymers, their monomers occur in the same polymer.

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 1756

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 30-32 are rejected under 35 U.S.C. 102(b) as being fully anticipated by Shah et al. "Perfluorocyclobutane "PFCB) polymers for optical fibers and waveguides", Polymer Preprints, Vol. 40(2) pp. 1293-1294 (1999).

See the polymerization solutions, the final product of which meets the claim limitations. The formation of the polymer TVE-co-BPVE is disclosed with respect to figure 3 and table 1.

8. Claims 1-3,5,6,16-17,19-21, 27 and 30-32 rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Shah et al.

"Perfluorocyclobutane "PFCB) polymers for optical fibers and waveguides", Polymer Preprints,

Vol. 40(2) pp. 1293-1294 (1999).

The disclosure of the prethermoset oligomeric solutions being spin coated or melt processed and then finally cured by baking at 235-325 degrees is disclosed. (page 1293, right column). The use of mesitylene as the solvent with a weight of 50% is disclosed. (page 1293, right column). The formation of the polymer TVE-co-BPVE is disclosed with respect to figure 3 and table 1. The use of these polymers in optical waveguides is disclosed throughout.

The instant specification teaches heat curing at 120-350 degrees C after spin coating. (Table 1 and 14/22-25)

The description of the prethermoset oligomeric solutions being spin coated or melt processed and then finally cured by baking at 235-325 degrees under air or nitrogen for several

Art Unit: 1756

hours depending upon the application is disclosed in a single paragraph, but it is not clear if this is indicative of this process having been carried out with the copolymer TVE-co-BPVE or merely represents basic instruction on possible use. Therefore, the examiner holds the position that the text cited either anticipates the claimed invention, or alternatively renders it obvious through these instructions for it's use.

9. Claims 30-32 are rejected under 35 U.S.C. 102(b) as being fully anticipated by Hoeglund et al., "Random Perfluorocyclobutyl co-polymers with controlled optical properties", Polymer Preprints, Vol. 41(2) pp. 1163-1164 (08/2000 see PTOL-1449).

The formation of the prethermoset oligomeric solutions of 1-co-2, 2-co-3 are taught with respect to figure 4. The prethermoset oligomeric solutions of 1-co-2 and poly1/poly blend are disclosed with respect to figure 2. The use of these polymers in optical waveguides is disclosed throughout.

The examiner holds that this reference has a date (receipt/mailing) of more than one year before 08/30/2001. The examiner notes that the applicant on the PTOL-1449 describes this as to be published in August 2000 and notes that the 08/30/2001 is the last weekday of August. Therefore it is reasonable to presume that the date of the reference is more than one year prior to the filing date of the instant application.

10. Claims 30-32 are rejected under 35 U.S.C. 102(b) as being fully anticipated by Smith et al., "Perfluorocyclobutane (PFCB\_ polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000).

The formation of the prethermoset oligomeric solutions of 1-co-2 are taught with respect to figure 4-6. The use of these polymers in optical waveguides is disclosed throughout. Useful

Art Unit: 1756

the prethermoset oligomeric solutions being spin coated or melt processed and then finally cured by baking at 235-325 degrees is disclosed. (page 110, right column). The use of mesitylene as the solvent and spin coating to thicknesses of of 3-6 microns is also disclosed. (page 110, right column). The use of 50 wt. % mesitylene as the solvent is disclosed. (page 114, left column)

11. Claims 1-3,5-14,16-17,19-21 and 24-32 rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117

The description of the prethermoset oligomeric solutions being spin coated to 3-6 microns and then finally cured by baking at 235-325 degrees under air or nitrogen for several hours depending upon the application is disclosed in a single paragraph, but it is not clear if this is indicative of this process having been carried out with the copolymer TVE-co-BPVE (1-co-2) or merely represents basic instruction on possible use. Therefore, the examiner holds the position that the text cited either anticipates the claimed invention, or alternatively renders it obvious through these instructions for it's use with a coating of up to 6 microns in thickness.

12. Claims 30-32 are rejected under 35 U.S.C. 102(b) as being fully anticipated by Babb et al. '164.

See example 2 which make a copolymer of 4,4'-bis(trifluoroethylenyloxy)-alphamethylstilbene and 1,1,1-tris(4'-trifluoroethylenyloxyphenyl)ethane (TVE) and the crosslinking thereof. The specific direction to copolymerize is taught at col. 19/lines 7-19. The use of the term polymer to embrace oligomers is disclosed. (3/3-7).

Art Unit: 1756

13. Claims 30-32 are rejected under 35 U.S.C. 102(b) as being fully anticipated by Babb et al. '038.

See examples 10 and 11 which make a copolymer of 4,4'-bis(trifluorovinyloxy)biphenyl and 1,1,1-tris(4'-trifluorovinyloxyphenyl)ethane (TVE) . and the crosslinking thereof.

14. Claims 1-3,5-17,19-21 and 24-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000), Babb et al. '164 or Babb et al. '038 in view of Fischbeck et al., "Singlemode optical wavguides using high temperature stable polymer with low losses in the 1.55 micron range", Electron. Lett., Vol. 33(6) pp. 518-519 (03/1997).

Fischbeck et al., "Singlemode optical wavguides using high temperature stable polymer with low losses in the 1.55 micron range", Electron. Lett., Vol. 33(6) pp. 518-519 (03/1997) teaches optical wavguide coatings of 10 micron for TVE -PFCB polymers.

It would have been obvious to one skilled in the art to coat other TVE-PFCB polymers, such as those disclosed by Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000), Babb et al. '164 or Babb et al. '038, to the thicknesses disclosed by Fischbeck et al., "Singlemode optical waveguides using high temperature stable polymer with low losses in the 1.55 micron range", Electron. Lett., Vol. 33(6) pp. 518-519 (03/1997) to evaluate their optical properties and potential as waveguiding materials based upon the desirable properties evidenced in Fischbeck et al., "Singlemode optical waveguides using high temperature stable polymer with low losses in the 1.55 micron range", Electron. Lett., Vol. 33(6) pp. 518-519 (03/1997)

Art Unit: 1756

Claims 1-3,5-21 and 24-32 are rejected under 35 U.S.C. 103(a) as being unpatentable 15. over Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000), Babb et al. '164 or Babb et al. '038 in view of Fischbeck et al., "Singlemode optical wavguides using high temperature stable polymer with low losses in the 1.55 micron range", Electron. Lett., Vol. 33(6) pp. 518-519 (03/1997), further in view of Shacklette et al. '498.

Shacklette et al. '498 teaches the use of upper cladding layers for optical waveguides. (figure 1,1a and 13/10).

In addition to the basis provided above, the examiner holds that it would have been obvious to add a upper cladding layer (the substrate acts as the lower cladding layer) in the invention resulting from the combination of either Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000), Babb et al. '164 or Babb et al. '038 with Fischbeck et al., "Singlemode optical wavguides using high temperature stable polymer with low losses in the 1.55 micron range", Electron. Lett., Vol. 33(6) pp. 518-519 (03/1997) to improve the waveguiding properties of the resultant articles by reducing TIR losses.

Claims 1-17 and 19-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over 16. Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000), Babb et al. '164 or Babb et al. '038 in view of Kennedy et al. '782.

Kennedy et al. '782 teaches various coating processes for PFCB polymers including spin coating (spinning) and dip coating (15/9-55) The effects of the percent solids in the coating

Art Unit: 1756

process and spinning speed on the thickness of the resulting coating is disclosed. Thicknesses of up to 24.53 microns are shown with spin coating of solutions with 70% solids and 8.31 microns for solutions with 60% solids. (table 5, column 36).

It would have been obvious to one skilled in the art to coat other TVE-PFCB polymers, such as those disclosed by Smith et al., "Perfluorocyclobutane (PFCB) polyaryl ethers: versatile coatings materials", J. fluorine Chem., Vol. 104(1) pp 109-117 (mailed 5/30/200 and on-line 5/19/2000), Babb et al. '164 or Babb et al. '038, to the thicknesses disclosed as useful by Kennedy et al. '782 with a reasonable expecation of forming a desirable PFCB coating useful in electronics or the like.

Any inquiry concerning this communication or earlier communications from the 17 examiner should be directed to Martin J Angebranndt whose telephone number is 703-308-4397. The examiner can normally be reached on Mondays-Thursday and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on 703-308-2464. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Martin Angebranndt

Primary Examiner

Art Únit 1756